UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------|------------------|
| 10/581,360 | 06/02/2006 | Gabriel Roussie | 291278US6X PCT | 3635 |
| OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET | | | EXAMINER | |
| | | | KEE, FANNIE C | |
| ALEXANDRIA, VA 22314 | | | ART UNIT | PAPER NUMBER |
| | | | 3679 | |
| | | | | |
| | | | NOTIFICATION DATE | DELIVERY MODE |
| | | | 06/25/2009 | ELECTRONIC |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

| | Application No. | Applicant(s) | | |
|---|---|--|--|--|
| | 10/581,360 | ROUSSIE, GABRIEL | | |
| Office Action Summary | Examiner | Art Unit | | |
| | Fannie Kee | 3679 | | |
| The MAILING DATE of this communication app Period for Reply | ears on the cover sheet with the c | orrespondence address | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE | N. nely filed the mailing date of this communication. D (35 U.S.C. § 133). | | |
| Status | | | | |
| Responsive to communication(s) filed on <u>06 M</u> . This action is FINAL . 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under E. | action is non-final. nce except for formal matters, pro | | | |
| Disposition of Claims | | | | |
| 4) Claim(s) 30-58 is/are pending in the application 4a) Of the above claim(s) 31-42 and 53-56 is/as 5) Claim(s) is/are allowed. 6) Claim(s) 30,43-52,57 and 58 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or | re withdrawn from consideration. | | | |
| Application Papers | | | | |
| 9)☑ The specification is objected to by the Examine 10)☑ The drawing(s) filed on <u>02 June 2006</u> is/are: a) Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction of the oregin of the example. 11)☐ The oath or declaration is objected to by the Example. | ☐ accepted or b)☐ objected to drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj | e 37 CFR 1.85(a). sected to. See 37 CFR 1.121(d). | | |
| Priority under 35 U.S.C. § 119 | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: | nte | | |

Art Unit: 3679

DETAILED ACTION

Election/Restrictions

- 1. Applicant's election of Species III drawn to Figure 3 and claims 30, 43-52, 57, and 58 in the reply filed on 3/6/09 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).
- 2. Claims 32-34, 37-42, and 53-56 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 3/6/09.

Drawings

- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: Figure 4 1c, 2c, 3c, 4c, 8c; Figure 5 1d, 2d, 3d, 4d; and, Figure 6 3e, 4e, 65.
- 4. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either

Art Unit: 3679

"Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective

action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

5. The abstract of the disclosure is objected to because the abstract should not speak to the

purported merits of the invention and should only speak to the technical disclosure of the

invention of the instant application. Lines 5-9 starting with "Thus, micro-cracks caused by

friction..." should be deleted.

Correction is required. See MPEP § 608.01(b).

6. The specification is objected to because section titles are missing. The following

guidelines illustrate the preferred layout for the specification of a utility application. These

guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include

the following sections in order. Each of the lettered items should appear in upper case, without

underlining or bold type, as a section heading. If no text follows the section heading, the phrase

"Not Applicable" should follow the section heading:

(a) TITLE OF THE INVENTION.

(b) CROSS-REFERENCE TO RELATED APPLICATIONS.

Application/Control Number: 10/581,360

Page 4

Art Unit: 3679

- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.
 - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (1) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).
- 7. The disclosure is objected to because of the following informalities:
 - a. The following reference characters are not mentioned in the description: Figure 4
 - -1c, 2c, 3c, 4c, 8c; Figure 5 1d, 2d, 3d, 4d; and, Figure 6 3e, 4e, 65.
 - b. Page 7, lines 37 add the word --are-- after the word "elements".
 - c. Page 8, lines 16 add a space between the words "25" and "via".
 - d. Page 9, line 17 add an --s-- to the end of the word "portion" and delete the words "enables to".
 - e. Page 9, line 37 delete the word "36,".
 - f. Page 9, line 38 add an --s-- to the end of the word "portion".
 - g. Page 10, line 1 –delete the words "enables to".
 - h. Page 10, lines 16-17 delete the words "enables to" and add an --s-- to the end of the word "reduce".

Art Unit: 3679

i. Page 10, lines 19 – delete the words "enables to" and add an --s-- to the end of the word "ease".

- j. Page 10, line 34 delete the words "enables to" and add an --s-- to the end of the word "produce".
- k. Page 10, lines 35-36 delete the words "enables to" and add an --s-- to the end of the word "distribute".

Correction is required.

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 9. Claims 30, 43-49, 57, and 58 are rejected under 35 U.S.C. 102(b) as being anticipated by Dailey U.S. Patent No. 4,346,920.

With regard to claim 30, and as seen in Figure 3, Dailey discloses a method to improve fatigue resistance of a threaded tubular connection subjected to stress variations, the connection including a male tubular element (212) including a tapered male threading, and a female tubular element (213) including a tapered female threading that cooperates with the male threading by makeup to produce a rigid mutual connection of the tubular elements with radial interference between radial load transfer zones of the threadings,

wherein the threadings each have a load flank extending substantially perpendicularly to an axis of the threadings, and wherein radial load transfer zones are at a radial distance from envelopes of thread roots of the male and female threadings and form an angle of less than 40° with the axis of the threadings.

With regard to claim 43, and as seen in Figure 3, Dailey discloses the radial load transfer zones being ramps constituting stabbing flanks of the male and female threadings over a major portion of a radial height thereof.

With regard to claim 44, and as seen in Figure 3, Dailey discloses an angle between the ramps and the axis of the threadings being in a range of 20° to 40° .

With regard to claim 45, and as seen in Figure 3, Dailey discloses an angle between the ramps and the axis of the threadings being about 27°.

With regard to claim 46, and as seen in Figure 3, Dailey discloses a profile of the male threading including a first concave rounded portion defining the thread root and tangential to the ramp.

With regard to claim 47, and as seen in Figure 3, Dailey discloses a profile of the male threading including a second concave rounded portion with a smaller radius of curvature than the first rounded portion and tangential thereto and to the load flank.

Art Unit: 3679

With regard to claim 48, and as seen in Figure 3, Dailey discloses a groove (area at R) defining the female thread root extending axially from a first wall constituted by the load flank to a second wall connected to the ramp of the female threading.

With regard to claim 49, and as seen in Figure 3, Dailey discloses a profile of the groove including a central concave rounded portion framed by first and second rounded concave portions respectively tangential to the first and second walls and with a smaller radius of curvature than the central rounded portion.

With regard to claim 57, and as seen in Figure 3, Dailey discloses a threaded tubular connection comprising a male tubular element (212) including a tapered male threading, and a female tubular element (213) including a tapered female threading that cooperates with the male threading by makeup to produce a rigid mutual connection of the tubular elements with radial interference between radial load transfer zones of the threadings, in which the radial load transfer zones are ramps constituting the stabbing flanks of the male and female threadings over the major portion of the radial height thereof, and the profile of the male threading including a first concave rounded portion defining the thread root and tangential to the ramp.

With regard to claim 58, and as seen in Figure 3, Dailey discloses a threaded tubular connection comprising a male tubular element (212) including a tapered male threading, and a female tubular element (213) including a tapered female threading that cooperates with the male

Art Unit: 3679

threading by makeup to produce a rigid mutual connection of the tubular elements with radial interference between radial load transfer zones of the threadings, in which the radial load transfer zones are ramps constituting the stabbing flanks of the male and female threadings over the major portion of the radial height thereof and a groove (area at R) defining the female thread root extends axially from a first wall constituted by the load flank to a second wall that is connected to the ramp of the female threading.

10. Claims 30, 43, 48, and 50 are rejected under 35 U.S.C. 102(b) as being anticipated by Saunders et al U.S. Patent No. 4,549,754.

With regard to claim 30, and as seen in Figures 5 and 9, Saunders et al disclose a method to improve fatigue resistance of a threaded tubular connection subjected to stress variations, the connection including a male tubular element (11) including a tapered male threading, and a female tubular element (12) including a tapered female threading that cooperates with the male threading by makeup to produce a rigid mutual connection of the tubular elements with radial interference between radial load transfer zones of the threadings,

wherein the threadings each have a load flank extending substantially perpendicularly to an axis of the threadings, and wherein radial load transfer zones are at a radial distance from envelopes of thread roots of the male and female threadings and form an angle of less than 40° with the axis of the threadings.

Art Unit: 3679

With regard to claim 43, and as seen in Figures 5 and 9, Saunders et al disclose the radial load transfer zones being ramps constituting stabbing flanks of the male and female threadings over a major portion of a radial height thereof.

With regard to claim 48, and as seen in Figures 5 and 9, Saunders et al disclose a groove (area at 21) defining the female thread root extending axially from a first wall constituted by the load flank to a second wall connected to the ramp of the female threading.

With regard to claim 50, and as seen in Figures 5 and 9, Saunders et al disclose a profile of the female threading including a convex rounded portion tangential to a second rounded portion and to the ramp, a zone of inflexion between the convex rounded portion and the second rounded portion constituting the second wall.

Claim Rejections - 35 USC § 103

- 11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 12. Claims 51 and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dailey.

Art Unit: 3679

With regard to claim 51, Dailey discloses the claimed invention but does not disclose that the radial load transfer zones are provided in a zone of full height threads or of threads termed perfect threads.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the radial load transfer zones be provided in a zone of full height threads or of threads termed perfect threads because a change in the shape of a prior art device is a design consideration within the level of skill of one skilled in the art. <u>In re Dailey</u>, 357 F.2d 669, 149 USPQ 47 (CCPA 1966).

With regard to claim 52, Dailey discloses the claimed invention but does not disclose that the radial load transfer zones are also provided in a zone of imperfect threads, or in a zone of run- out threads.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the radial load transfer zones be provided in a zone of imperfect threads or in a zone of run-out threads because a change in the shape of a prior art device is a design consideration within the level of skill of one skilled in the art. In re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966).

Conclusion

13. Franz, Reimert, Chuang, Nobileau, Wing, Sugimura, Eslinger, Smith et al, Yamamoto et al, and Galle, Jr. et al are being cited to show examples of threaded connections with a male

Art Unit: 3679

tubular element and a female tubular element where the threadings have radial load transfer

zones which are ramps.

14. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Fannie Kee whose telephone number is (571) 272-1820. The

examiner can normally be reached on 8:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Daniel P. Stodola can be reached on (571) 272-7087. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Aaron M Dunwoody/

Primary Examiner, Art Unit 3679

/F. K./

Examiner, Art Unit 3679

June 21, 2009